

MPN: USB3.2CC0.25

## USB-C 3.2 Gen 2x2 Cable, 0.25m

This USB-C cable is for connection of external USB devices with USB-C socket (e.g. Smartphones, Tablets and newer computers), to a USB Host (USB Hub, wall plug with USB C input, Computer or PC). Data transmission rate up to 20 Gbit/s.

- Gen 3.2 2x2
- Support 20Gbps data
- 5~20V/5A + E-Mark
- PD 100W Power
- DP-Alternate mode 4k/60Hz



## Specifications

Battery	Battery Type	NONE - Only use for non-battery items
Features	Cable jacket material	Polyvinyl chloride (PVC)
	Cable length	0.25 m
	Cable shielding	Aluminum mylar foil
	Conductor material	Copper
	Connector 1	USB C
	Connector 1 form factor	Straight
	Connector 1 gender	Male
	Connector 2	USB C
	Connector 2 form factor	Straight
	Connector 2 gender	Male
	Connector contacts plating	Nickel
	Maximum data transfer rate	20000 Mbit/s
	Plug and Play	Yes
	Product colour	Black
	Reversible connectors	Yes
	RoHS compliance	Yes
	USB Power Delivery (USB PD)	Yes
	USB Power Delivery up to	100 W
	USB version	USB 3.2 Gen 2x2
	Windows operating systems supported	Yes
Package dimensions	Depth (package,cm)	8 cm
	Gross Weight (Package, kg)	0.025 kg
	Height (package,cm)	0.75 cm
	Width (package,cm)	14 cm
Packaging data	Quantity per pack	1 pc(s)

**Product dimensions**

<b>Net Weight (Product, kg)</b>	0.015 kg
---------------------------------	----------

**Vendor information**

<b>Brand Name</b>	MicroConnect
-------------------	--------------

<b>Warranty</b>	25 Year(s)
-----------------	------------

## Other products in this series

Cable length	
0.25	USB3.2CC0.25
0.5	USB3.2CC0.5
1.0	USB3.2CC1
1.5	USB3.2CC1.5

## Other images

